## **Safety Data Sheet**

Revision date: Jan. 11, 2016 Date of issue: 02.04.2015

Sr. No.	Title of the section	Information required in this section			
1.	Identification of the mixture & of the company				
1.1	Identification of the substance or preparation	Trade Name: ArmorTech IMD 2 SC Product Registration No.: 83529-2-86064			
1.2	Use of the substance/ preparation	Recommended uses:  ✓ Herbicide Restricted uses: Not known as on date			
1.3	Company/ under - taking identification	United Turf Alliance, LLC 8014 Cumming Highway, Suite 403-282 Canton, GA 30115 Telephone number: 770-335-3015 WEBSITE: http://www.utarmortech.com			
1.4	Emergency telephone	Emergency telephone number: 1(800) 222-1222 CHEMTREC PHONE: 1(800) 424-9300 Telephone number of USA importer: (610) 350-6930 Opening hours: 24 hrs			
2.	Hazard Identification				
2.1	Classification of the substance according to Regulation 1910.1200 [GHS]	Classification: Acute Tox. 4 – Oral, Aquatic Chronic 1  Hazard statement:  • H302 – Harmful if swallowed • H410 – Very toxic to aquatic life with long lasting effects  Signal Word: Warning  Hazard pictograms:  GHS09 GHS07  Precautionary statements:  P501 – Dispose of contents/ container in accordance with local/ regional/national/international regulation  P273 – Avoid release to the environment.  P391 – Collect spillage  P264 – Wash face, hands and any exposed skin thoroughly after handling  P270 – Do not eat, drink or smoke when using this product.  P330 – Rinse mouth.  P301 + P312 – IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.			
2.2	Other Information	Hazard Ratings: NFPA Health: 2 Flammability: 0 Reactivity: 0  Hazard Ratings: HMIS Health: 2 Flammability: 0 Reactivity: 0  Reactivity: 0			
3.	Composition /Inform	nation on Ingredients			
3.1	Composition	List of raw materials in the mixture with hazardous/ non-hazardous additional			
<u> </u>		% Conc. CAS no. Substance name			

ArmorTech IMD 2 SC Page 2 of 8

		21.7	120261 41 2	T : 1 1 : 1		
		21.7	138261-41-3	Imidacloprid		
		39.79	NA 56.01.5	AU-330L		
		0.80	56-81-5	Glycerine		
		0.26	11138-66-2	Xanthan Gum		
		0.5	NA	Proxel BN		
		36.95	7732-18-5	Water		
3.2	Common name and synonyms	Details not known				
3.3	Classified Impurities and stabilizing additives contributing to classification of the chemical		No major known impurity have Carcinogen, Mutagen & Reprotoxic (CMR) classification which can contribute to the Classification & Labelling of the chemical.			
4.	First Aid Measures					
4.1	Description of first aid measures	<ul> <li>Inhalation: Remove source of contamination or move victim to fresh air. Keep victim warm and at rest. Treat symptomatically and supportively. Obtain medical advice if necessary.</li> <li>Skin contact: Remove contaminated clothing, shoes and leather goods. Wash skin gently and thoroughly with water and non-abrasive soap. Persons who become sensitised may require specialised medical management with anti-inflammatory agents.</li> <li>Eye contact: Immediately flush the eyes with gently flowing lukewarm water or saline solution for 20 minutes, occasionally lifting the upper and lower lids. Specialised ophthalmologic treatment might be required.</li> <li>Oral: Do not induce emesis. Seek medical advice</li> </ul>				
4.2	Important symptoms & effects		Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident is recommended.			
4.3	Immediate medical attention	For 24-hour	Notes for the doctor: No relevant information or antidote available  For 24-hour medical emergency assistance (human or animal) call 1-800-222-1222. For chemical emergency assistance (spill, leak, fire, or accident) call ChemTrec at 1-800-424-9300.			
5.	Fire Fighting Measu	res				
5.1	suitable extinguishing media	Carbon dioxide, extinguishing powder or water spray can be used for cooling of unaffected stock. In case of larger fires, water spray or alcohol resistant foam to be used.				
5.2	Special hazard arising from the chemical	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.				
5.3	Special protective equipment and precautions for firefighters	As in any fire, wear full protective clothing and self-contained breathing apparatus with full face piece operated in pressure-demand or other positive pressure mode.				
6.	Accidental Release N	Measures				
		6.1.1 For no	n-emergency pe	ersonnel		
6.1	Personal precautions, protective equipment and emergency procedures	Venti sourc Finding produ	late area of spill es. For personal conmental preca	or leak, especially conf protection see Section 8 autions: Do not allow to public waters, inform a	in and eyes. Do not breathe in fumes. ined areas. Shut off/remove any ignition s. o enter drains or water courses. When the oppropriate authorities immediately in accordance	
		or gas.	Ensure adequate by using adsorb	ventilation. Do not touc	ective equipment. Avoid breathing vapors, mist h the spilled material. Avoid the spread of the without risks. Ground all equipment containing	

ArmorTech IMD 2 SC Page 3 of 8

6.2	Methods and material for containment and cleaning up	Sweep spilled substance into covered containers. Carefully collect remainder. Then store and dispose of according to local regulations. Personal protection: particulate filter respirator adapted to the airborne concentration of the substance. Do NOT let this chemical enter the environment.				
6.3	Reference to other section	If appropriate section 8 and 13 shall be referred to				
7.	Handling and Storag	ge				
7.1		7.1.1. Recommendations shall be specified to:				
	Precautions for safe handling	Remove sources of naked flame or sparks. Avoid contact with eyes, prolonged contact with skin, and inhalation of fumes and spray particles. Use with adequate ventilation. Do not apply directly to areas where surface water is present. Water used to clean equipment must be disposed of correctly to avoid contamination.				
	Sure numaning	7.1.2. Advice on general occupational hygiene:				
		(a) not to eat, drink and smoke in work areas				
		(b) to wash hands after use; and				
		(c) To remove contaminated clothing and protective equipment before entering eating areas				
	<b>Conditions for</b>	(a) How to manage risks associated with storage:				
7.2	safe storage,	No special storage condition indicated				
	including any incompatibilities	<b>(b) Other advice including:</b> Do not contaminate water, food, or feed by storage or disposal. Store in cool place. Keep container tightly closed in a dry and well-ventilated place.				
8.	<b>Exposure Controls /</b>	Personal Protection				
8.1	Control parameters	Components with limit values that require monitoring at the workplace    138261-41-3   Threshold Limit Value (TLV): Not available     56-81-5   US health exposure limits (NIOSH):     PEL (Permissible) = TWA 15 mg/m3 (total) TWA 5 mg/m3 (resp)     REL (Recommended) = None establisher     TLV: mist 10 mg/m3 as TWA (ACGIH 2005).     MAK: 50 mg/m3 (Inhalable fraction)     IDLH (Immediate danger) = N.D.				
8.2	Exposure controls					
8.2.1	Appropriate engineering controls	The description of appropriate exposure control measures shall relate to the identified use(s) of the substance or mixture as referred to in subsection 1.2. This information shall be sufficient to enable the employer to carry out an assessment of risk to the safety and health of workers arising from the presence of the substance.				
8.2.2	Individual protection measures	(a) Eye / face protection: Wear appropriate protective eyeglasses, splash goggles or chemical safety goggles and face shield.  (b) Skin protection: Wear appropriate protective clothing like impervious lab coat, apron or coveralls.  (i) Hand protection: Use compatible chemical / solvent resistant protective gloves made of suitable materials like rubber, plastic, etc,  (ii) Other: Wear appropriate boots and other footwear.  (c) Respiratory protection: In case of brief exposure or low pollution, use respiratory filter device. In case of intensive or longer exposure, use self-contained respiratory protective device. Short term filter device: Filter AX. In case of emergency spills, use a NIOSH approved respirator with any N, R, P, or HE filter.  (d) General protective and hygienic measures:  • Keep away from foodstuffs, beverages and feed.  • Immediately remove all soiled and contaminated clothing.  • Wash hands before breaks and at the end of work.				

ArmorTech IMD 2 SC Page 4 of 8

	Store protective clothing separately.			
9.	Physical & Chemica	l Properties		
9.1	Information on basic physical and chemical properties	(a) Appearance: Liquid (b) Odour: Characteristic (c) Initial boiling point and boiling range: 378.84°C (Active ingredient) (d) Flash point: Not applicable (e) Vapour pressure: <10 <sup>-4</sup> Pa (Active ingredient) (f) Bulk Density: 9.15 lb/gal at 25° C (g) pH value: 6.91 (1% dispersion) (h) Solubility(ies): in water: miscible with water (i) Explosive properties: None (j) Flammability: Non Flammable		
9.2	Other information	Solvent content – 36.95%		
10.	Stability and Reacti	vity		
10.1	Reactivity	Not known		
10.2	Chemical stability	Stable at normal temperature and pressure		
10.3	Possibility of hazardous reactions	No information known		
10.4	Conditions to avoid	Avoid temperatures above 150°F and below 20°F. High temperature, sunlight, frost		
10.5	Incompatible materials	Strong oxidizing agents		
10.6	Hazardous decomposition products	In case of fire - $\text{Cl}_2$ , $\text{NO}_x$ . Thermal decomposition may produce toxic carbon and nitrogen oxides, and hydrogen chloride.		
11.	Toxico-logical Infor	nation		
11.1	Information on toxicological effects	(a) acute toxicity: Acute oral toxicity (category 4) (b) skin corrosion/irritation: not irritant (c) serious eye damage/irritation: not irritant (d) respiratory or skin sensitization: Not sensitizing (e) Carcinogenicity: no known evidence (g) reproductive toxicity: no known evidence (h) STOT-single exposure: no known evidence (i) STOT-repeated exposure: no known evidence		
11.2	Numerical measures of toxicity (such as acute toxicity estimates)	CAS no. Toxicity details		

ArmorTech IMD 2 SC Page 5 of 8

		138261-41-3	I D 50 D 4 1 450 //
		130201-41-3	LD50 Rat oral ~450 mg/kg
			LD50 Rat dermal >5000 mg/kg
			LC50 Rat inhalation >5323 mg/cu m/4 hr (dust)
			LC50 Rat inhalation >69 mg/cu m air/4 hr (aerosol) Chronic Exposure or Carcinogenicity/ Wistar Rats /received dietary
			administration of/ NTN 33893 Technical (94.3% purity) /for 104 weeks/.
			Sixty animals/sex/group dosed /at levels of/: (Study #1)-0, 100, 300, 900
			ppm, (Study #2)-0, 1800 ppm; Mortalities /after 104 weeks were/ 0 ppm
			(M:16/100, F:26/100), 100 ppm (M/F:6/50), 300 ppm (M:6/50, F:10/50),
			900 ppm (M:6/50, F:13/50), 1800 ppm (M:5/50, F:10/50). Clinical
			Observations /revealed/ no treatment-related signs; weight gain reduced in
			1800 ppm group (M: 5%), (F: 11%); Hematology /showed/ no treatment-
			related effect.
			Developmental or Reproductive Toxicity/ In an/ embryotoxicity study
			(including teratogenicity) with NTN 33893 Technical, 16 female
			rabbits/group /were dosed at/ 0, 7.0, 20.5, 64.3 mg/kg/day (analytical),
			doses /were/ administered by gavage from day 6 post coitum through day
			18. Mortalities /observed were/: 0 mg/kg (0/16), 7.0 mg/kg (0/16), 20.5
			mg/kg (0/16), 64.3 (2/16). Clinical observations /revealed/ reduced food
			consumption, body weight loss day 6 to 19, one abortion (64.3 mg/kg/day),
			reduced body weight gain day 6 to 19 (20.5 mg/kg/day). /At/ necropsy no
			treatment-related lesions /were observed/. <b>Developmental</b> : one abortion, two total resorptions, increased post-
			implantation loss, reduced mean fetal weight (64.3 mg/kg/day); Maternal
			NOEL = 20.5 mg/kg/day based on mortality of dams, decreased body
			weight gain for 64.3 mg/kg/day treatment group. Developmental NOEL =
			20.5 mg/kg/day based on increased post-implantation loss, decreased fetal
			weight of the offspring in the 64.3 mg/kg/day treatment group
		56-81-5	Chronic studies: Fertility study of 64 male employees engaged in the
			manufacture of glycerol. Compared with a control group of 63 workers, no
			significant differences were found in several sperm quality parameters of
			which sperm counts/mL and percent normal forms are considered to be
			most reliable.
			<b>Skin irritation:</b> Slightly irritating after 48 hours application of 0.05 mL on
			human skin in a closed patch test. Further the investigators observed a
			maximum score for irritation of 4 on a scale of 9 at day 14 during a 21 day application of a 10% solution on human skin.
			Eye irritation: In human eyes, specular microscopy has shown that
			repeated application of 100% glycerin to the surface of the eye causes
			extensive changes in the appearance of the endothelium, but most of these
			changes disappear within 90 min after exposure is ended.
			Acute Exposure/ Aqueous 50% glycerin in the anterior chamber of rabbits
			causes significantly less reaction, though within 5 min it visibly dehydrates
			the lens, causing its capsule to become wrinkled.
	Chemical if, listed		
11.3	in NTP or IARC	The chemical is a	not a listed carcinogen
	or by OSHA as Carcinogens		
	Carcinogens	D. 1 . 1 . 2	11. 2. 1
11.4	Additional		ollowing danger according to internally approved calculation methods for
11.4	information	preparation	1
		■ Harmfu	
12.	Ecological Information		
		CAS no.	Aquatic toxicity values
		138261-41-3	• LD50 /Colinus virginianus/ (Bobwhite quail) oral 152 mg/kg
12.1	Eco – Toxicity		• LC50 Aedes aegypti (Yellow fever mosquito; increased mortality) 44
			ug/L/48 hr (95% confidence interval: 41-47 ug/L); static, 27 deg C
			• LC50 Daphnia magna (Water flea; increased mortality) 10.44 mg/L/48 hr
			(95% confidence interval: 6.97-17.71 mg/L); static, 27 deg C

ArmorTech IMD 2 SC Page 6 of 8

		7.6.01.5	F11.061 1.050 1.16 005	
		56-81-5	Fish 96-hr LC50 = 1.16e+005	
			Fish 14-day LC50 = 1.11e+005	
			Daphnid 48-hr LC50 = 38159.363	
		CAS no.	Persistence and degradability	
	Persistence and	138261-41-3	Imidacloprid was found to degrade more rapidly in soil under vegetation; half-lives of 48 and 190 days were determined in experiments with and without vegetation, respectively. A half-life of 34 days was reported for imidacloprid in a field experiment using soil (pH = 7.9, 0.52% organic carbon, 16.6% clay, 31.3% silt, 52.1% sand) where citrus products are grown extensively. Imidacloprid was applied to red brown earth to give a concentration of 50 mg/kg.	
12.2	degradability	56-81-5	Biowin1 (Linear Model Prediction): Biodegrades Fast	
	uegradability	30 01 3	Biowin2 (Non-Linear Model Prediction): Biodegrades Fast Biowin3 (Ultimate Biodegradation Timeframe): Days-Weeks Biowin4 (Primary Biodegradation Timeframe): Days Biowin5 (MITI Linear Model Prediction): Biodegrades Fast Biowin6 (MITI Non-Linear Model Prediction): Biodegrades Fast Biowin7 (Anaerobic Model Prediction): Biodegrades Fast Ready Biodegradability Prediction: YES	
		CAS no.	BCF	
12.3	Bio accumulative	138261-41-3	An estimated BCF of 3.2 was calculated for imidacloprid(SRC), using a log Kow of 0.57 and a regression-derived equation. According to a classification scheme, this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC)	
12.0	potential	56-81-5	Equation Used to Make BCF estimate:  Log BCF = 0.50  Correction(s): Value  Correction Factors Not Used for Log Kow < 1  Estimated Log BCF = 0.500 (BCF = 3.162 L/kg wet-wt)	
		Active Ingredic		le in
12.4	Mobility in soil	<b>Active Ingredient:</b> Soil sorption of imidacloprid was studied using sandy loam and silt loam soils in Germany. Soil batches containing 0.33 mg/kg of imidachloprid were incubated for 100 days. The Koc values in the soil increased from around 200 on the first day to over 800 by day 100. These time dependent results were verified using a column leaching experiment, indicating that sorption of imidacloprid increases with increased soil residence time		
12.5	General information	Water hazard class: 2 (self-assessment) – hazardous to water  Do not allow the product to reach through ground water, water course or sewage system.  Danger to drinking water if even small quantity leaks into the ground system.  The mixture is not persistent, bio accumulative or toxic (Not PBT)		
13.	Disposal Considerat	ions		
13.1	Waste treatment methods	<ul> <li>(a) Waste treatment containers and methods: Waste treatment containers and methods shall be specified including the appropriate methods of waste treatment of both the substance or mixture and any contaminated packaging (for example, incineration, recycling, land filling)</li> <li>(b) Physical/chemical properties: Physical/chemical properties that may affect waste treatment options shall be specified</li> <li>(c) Sewage disposal: Sewage disposal shall be discouraged</li> <li>(d) Disposal Method: Sweep spilled substance into containers. Carefully collect remainder and then remove to safe place. Personal protection: P2 filter respirator for harmful particles. Do NOT let this</li> </ul>		
		chemical enter t	he environment.	
13.2	Additional information:	Any relevant Community provisions relating to waste shall be referred to. In their absence any relevant national or regional provisions in force shall be referred to.		
14.	Transport Informat	ion		
	Information	14.1. UN numbe	er: 3082	
	includes RID,			
	ADR, AND, DOT, ICAO, IMDG, IATA-DGR	14.2. UN proper shipping name :  ✓ ADR: 3082 Environmentally Hazardous Substance, Liquid, n.o.s. (Imidacloprid (ISO))  ✓ DOT: Environmentally hazardous substance, liquid, n.o.s. (Imidacloprid (ISO))		

ArmorTech IMD 2 SC Page 7 of 8

		✓ IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid (ISO)) MARINE POLLUTANT ✓ IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imidacloprid (ISO))  14.3. Transport hazard class(es): 9  14.4. Packing group: III  14.5. Environmental hazards (e.g., Marine pollutant (Yes/No)): Yes  14.6. Special precautions for user: Warning ✓ Danger Code: 90; ✓ EMS Number: F-A,S-F  14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC Code: Not applicable  14.8. Additional information: ADR/IMDG ✓ Limited quantities (LQ) – 5L; Excepted Quantities (EQ) – E1 ✓ Maximum net quantity per inner packaging: 30 ml ✓ Maximum net quantity per outer packaging: 1000 ml ✓ Transport category – 3	
15.	Regulatory Informa		
15.1	Safety, health and environmental regulations/other legislations	<ul> <li>Product related hazard information: The product has been classified and marked in accordance with directives on hazardous materials</li> <li>Hazard statements:         <ul> <li>Harmful if swallowed.</li> <li>Harmful if inhaled. Causes moderate eye irritation.</li> <li>Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.</li> </ul> </li> <li>Signal word – CAUTION</li> <li>Precautionary statements:         <ul> <li>Avoid breathing vapor or mist.</li> <li>Avoid contact with skin, eyes, and clothing.</li> </ul> </li> <li>Other regulations: Listed /not listed within the following regulation</li> <li>Sara - section 355 (extremely hazardous substance): none of the ingredients are listed.</li> <li>Sara - section 313 (specific toxic chemical listing): Imidacloprid</li> <li>TSCA: CAS No.: 56-81-5; 11138-66-2; 7732-18-5 listed</li> <li>Proposition 65 (chemical known to cause cancer): none of the ingredients are listed</li> <li>Proposition 65 (chemical known to cause reproductive toxicity for females/ males): none of the ingredients are listed</li> <li>Carcinogenic categories (EPA): none of the ingredients are listed</li> <li>TLV: none of the ingredients are listed</li> <li>NIOSH – Ca (National Institute of Occupational Health and Safety): none of the ingredients are listed</li> <li>OSHA – Ca (Occupational Health and Safety Administration): none of the ingredients are listed</li> </ul>	
16.	Other Information		
16.1	Indication of changes	Section 1: Identification of the substance/mixture and of the company/undertaking Section 2: Hazard Identification - Changes in Classification and Labelling. Section 3: Composition /Information on Ingredients Section 5: Fire-fighting measures Section 6: Accidental Release measures Section 7: Handling and storage. Section 8: Exposure Controls/Personal protection. Section 9: Physical and Chemical properties. Section 10: Stability and Reactivity.	

ArmorTech IMD 2 SC Page 8 of 8

		Section 11: Toxicological Information. Section 12: Ecological Information.		
		Section 14: Transport labeling		
		Section 15: Regulatory Information		
		OSHA: Occupational Safety and Health Administration		
		GHS: Globally harmonized system on classification and labelling		
		TWA: Time Weighted Average		
	ļ	STEL: Short Term Exposure Limit		
		PEL: Permissible Exposure Limits		
		ACGIH: American Conference of Governmental Industrial Hygienists		
		NIOSH: National Institute for Occupational Safety and Health		
		TLV: Threshold Limit Value		
		MARPOL: Marine pollution  The God of th		
		IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous		
		Chemicals in Bulk		
16.2	Abbreviations and	IARC: International Agency for Research on Cancer     NTD: Netical Tarrials on Programs		
16.2	acronyms	NTP: National Toxicology Program     CAS: Charried Abstracts Service (division of the American Charried Service)		
	•	CAS: Chemical Abstracts Service (division of the American Chemical Society)      LC50 Lethel concentration 50 percent		
		LC50: Lethal concentration, 50 percent     LD50: Lethal dose 50 percent		
		<ul> <li>LD50: Lethal dose, 50 percent</li> <li>IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport</li> </ul>		
		Association		
		IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)		
		ICAO: International Civil Aviation Organization		
		ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"		
		Sara : Superfund Amendments and Reauthorization Act		
		WEEL: Workplace Environmental Exposure Level		
		IDLH: Immediately Dangerous to Life or Health		
		MAK: Maximale Arbeitsplatz-Konzentration		
		EPI Suite calculation		
	Key literature references and	http://www.lookchem.com/cas-138/138261-41-3.html		
		http://www.sigmaaldrich.com/MSDS/MSDS/DisplayMSDSPage.do?country=IN&language		
		=en&productNumber=37894&brand=FLUKA&PageToGoToURL=http%3A%2F%2Fwww		
		.sigmaaldrich.com%2Fcatalog%2Fsearch%3Fterm%3D138261-41-		
		3%26interface%3DCAS%2520No.%26N%3D0%26mode%3Dmatch%2520partialmax%26l		
		ang%3Den%26region%3DIN%26focus%3Dproduct		
		http://www.chemicalbook.com/ProductMSDSDetailCB9730575_EN.htm		
		ECHA website		
		http://www.pesticideinfo.org/Detail_Chemical.jsp?Rec_Id=PC35730		
		http://npic.orst.edu/factsheets/imidacloprid.html		
16.3		http://en.wikipedia.org/wiki/Imidacloprid		
10.5				
	sources for data	• http://www.cdc.gov/niosh/ipcsneng/neng1501.html		
		• http://www.trc-canada.com/detail.php?CatNum=I274990&CAS=138261-41-		
		3&Chemical_Name=Imidacloprid&Mol_Formula=C9H10ClN5O2&Synonym=(2E)-		
		1-%5B(6-Chloro-3-pyridinyl)methyl%5D-N-nitro-2-imidazolidinimine;%201-%5B(6-		
		Chloro-3-pyridinyl)methyl%5D-4,5-dihydro-N-nitro-1H-imidazol-2-amine;%201-%5B(6-		
		Chloro-3-pyridinyl)methyl%5D-N-nitro-2-		
		imidazolidinimine;%20Couraze;%20Premis;%20Grubex;		
		http://www.chemnet.com/cas/en/138261-41-3/Imidacloprid.html		
		• http://chem.sis.nlm.nih.gov/chemidplus/rn/138261-41-3		
		<ul> <li>http://pubchem.ncbi.nlm.nih.gov/compound/86418?from=summary</li> </ul>		
		http://www.chemnet.com/cas/en/138261-41-3/Imidacloprid.html		

Disclaimer: This product is a registered agricultural chemical and must therefore be used in accordance with the container label directions. The information above is believed to be accurate and represents the best information currently available to us. No representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. This SDS shall be used as a guide only. Users should make their own investigations to determine the suitability of the information for their particular purposes. Consult United Turf Alliance, LLC for further information.